

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)

Your wildcard search against 2000 terms has yielded the results below

Search for additional matches among the next 2000 terms

Search Results -

Term	Documents
MASK\$	0
MASK.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	313329
MASKA.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	235
MASKABEL.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
MASKABILITY.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	11
MASKABLE.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	2391
MASKABLEINTERRUPT.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
MASKABLE/NON.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	4
MASKABLE/NONMASKABLE.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
MASKABLE/NON-MASKABLE.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	4
MASKABLE/UNMASKABLE.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
.....	
MASK\$(MASK-FITTING).USPT,PGPB,JPAB,EPAB,DWPI,TDBD.	pickup term
.....	
STOR\$(STORAGE/LINE).USPT,PGPB,JPAB,EPAB,DWPI,TDBD.	pickup term
(L31 AND ((MASK\$) NEAR5 (MEMORY OR RAM OR STOR\$))).USPT,PGPB,JPAB,EPAB,DWPI,TDBD.	4

[There are more results than shown above. Click here to view the entire set.](#)

Database:

US Patents Full-Text Database
 US Pre-Grant Publication Full-Text Database
 JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Refine Search

Recall Text

Clear

Search History

DATE: Monday, April 29, 2002 [Printable Copy](#) [Create Case](#)

Set Name **Query**
side by side

Hit Count **Set Name**
result set

DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L32</u>	L31 and ((mask\$) near5 (memory or RAM or stor\$))	4	<u>L32</u>
<u>L31</u>	L30 and ((pattern\$1) near5 (memory or RAM or stor\$))	22	<u>L31</u>
<u>L30</u>	L29 and (network\$ near5 interfac\$)	1122	<u>L30</u>
<u>L29</u>	ethernet near5 card	1617	<u>L29</u>
<u>L28</u>	L27 and (match\$ near5 function\$)	3	<u>L28</u>
<u>L27</u>	(pattern\$ near5 match\$) same (network\$ near5 interfac\$)	27	<u>L27</u>
<u>L26</u>	(network\$ and address\$ and pattern\$).ti.	18	<u>L26</u>
<u>L25</u>	(network\$ and wakeup\$ and pattern\$).ti.	0	<u>L25</u>
<u>L24</u>	L22 and mask\$	0	<u>L24</u>
<u>L23</u>	L22 and pattern	0	<u>L23</u>
<u>L22</u>	L21 and (network\$ near5 wakeup\$)	5	<u>L22</u>
<u>L21</u>	(network\$ near5 interfac\$) same (ethernet\$)	3377	<u>L21</u>
<u>L20</u>	L19 and network\$	0	<u>L20</u>
<u>L19</u>	L18 and 'pattern RAM'	2	<u>L19</u>
<u>L18</u>	'mask RAM'	84	<u>L18</u>
<u>L17</u>	L16 and (network\$ near5 interfac\$)	1	<u>L17</u>
<u>L16</u>	(ram near5 pattern\$) and (ram near5 mask\$)	77	<u>L16</u>
<u>L15</u>	'ram pattern' and 'ram mask'	0	<u>L15</u>
<u>L14</u>	L11 and l8	0	<u>L14</u>
<u>L13</u>	L12 and (mask\$ near5 memory)	0	<u>L13</u>
<u>L12</u>	L11 and (pattern\$1 near5 memory)	21	<u>L12</u>
<u>L11</u>	ethernet card	819	<u>L11</u>
<u>L10</u>	L9 and (network\$ near5 interfac\$)	0	<u>L10</u>
<u>L9</u>	L8 and (mask same pattern\$1)	8	<u>L9</u>
<u>L8</u>	'different memories'.ti,ab.	1519	<u>L8</u>
<u>L7</u>	'differernt memories'	0	<u>L7</u>

<u>L6</u>	'differernt memories'.ti,ab.	0	<u>L6</u>
<u>L5</u>	'differernt memories' and 'mask and patterns'	0	<u>L5</u>
<u>L4</u>	l3 and (network interfac\$ card)	1	<u>L4</u>
<u>L3</u>	(ram near5 pattern\$1) same (ram near5 mask\$)	46	<u>L3</u>
<u>L2</u>	L1 and (network interfac\$ card)	6	<u>L2</u>
<u>L1</u>	(mask same pattern) same (memor\$)	4897	<u>L1</u>

END OF SEARCH HISTORY

WEST

Your wildcard search against 2000 terms has yielded the results below

Search for additional matches among the next 2000 terms

Generate Collection

Print

Search Results - Record(s) 1 through 5 of 5 returned.

☐ 1. Document ID: US 6360327 B1

L22: Entry 1 of 5

File: USPT

Mar 19, 2002

US-PAT-NO: 6360327

DOCUMENT-IDENTIFIER: US 6360327 B1

TITLE: System with control registers for managing computer legacy peripheral devices using an advanced configuration power interface software power management system

DATE-ISSUED: March 19, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Hobson; Louis B.	Tomball	TX		

US-CL-CURRENT: 713/300; 710/15, 710/18, 713/320, 713/330

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
Draw Desc	Image								

KWIC

☐ 2. Document ID: US 6289449 B1

L22: Entry 2 of 5

File: USPT

Sep 11, 2001

US-PAT-NO: 6289449

DOCUMENT-IDENTIFIER: US 6289449 B1

TITLE: Creating boot code image on a storage medium

DATE-ISSUED: September 11, 2001

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Aguilar; Maximino	Austin	TX		
Gupta; Sanjay	Austin	TX		
Stafford; James Michael	Round Rock	TX		

US-CL-CURRENT: 713/2

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
Draw Desc	Image								

KMIC

☐ 3. Document ID: US 6272628 B1

L22: Entry 3 of 5

File: USPT

Aug 7, 2001

US-PAT-NO: 6272628

DOCUMENT-IDENTIFIER: US 6272628 B1

TITLE: Boot code verification and recovery

DATE-ISSUED: August 7, 2001

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Aguilar; Maximino	Austin	TX		
Gupta; Sanjay	Austin	TX		
Stafford; James Michael	Round Rock	TX		

US-CL-CURRENT: 713/2

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
Draw Desc	Image								

KMIC

☐ 4. Document ID: US 5983353 A

L22: Entry 4 of 5

File: USPT

Nov 9, 1999

US-PAT-NO: 5983353

DOCUMENT-IDENTIFIER: US 5983353 A

TITLE: System and method for activating a deactivated device by standardized messaging in a network

DATE-ISSUED: November 9, 1999

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
McHann, Jr.; Stanley E.	Austin	TX		

US-CL-CURRENT: 713/310; 713/324, 713/330

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
Draw Desc	Image								

KMIC

☐ 5. Document ID: US 5938728 A

L22: Entry 5 of 5

File: USPT

Aug 17, 1999

US-PAT-NO: 5938728

DOCUMENT-IDENTIFIER: US 5938728 A

TITLE: Apparatus and method for selectively controlling clocking and resetting of a network interface

DATE-ISSUED: August 17, 1999

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Dwork; Jeffrey Roy	San Jose	CA		
Yu; Ching	Santa Clara	CA		
Williams; Robert Alan	Cupertino	CA		
Roy; Rajat	Sunnyvale	CA		

US-CL-CURRENT: 709/222

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
Draw Desc	Image								

KVMC

[Generate Collection](#)[Print](#)

Term	Documents
NETWORK\$	0
NETWORK.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	504158
NETWORKA.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	10
NETWORKABILITY.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	8
NETWORKABLE.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	99
NETWORKACCESS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
NETWORKACCESSIBLE.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
NETWORKADDR.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
NETWORKADDRESS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	9
NETWORKADDRESSSTRUCT.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
NETWORKANALOG.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
(L21 AND (NETWORK\$ NEAR5 WAKEUP\$)).USPT,PGPB,JPAB,EPAB,DWPI,TDBD.	5

[There are more results than shown above. Click here to view the entire set.](#)

WEST[Generate Collection](#)[Print](#)

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: US 5657448 A

L4: Entry 1 of 1

File: USPT

Aug 12, 1997

US-PAT-NO: 5657448

DOCUMENT-IDENTIFIER: US 5657448 A

TITLE: System for an interactive network board remotely
configurable by selecting from a plurality of functionality
defining software, such as a printer server stored in prom

DATE-ISSUED: August 12, 1997

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP	CODE	COUNTRY
Wadsworth; Robert D.	Costa Mesa	CA			
Russell; William C.	Laguna Hills	CA			
Kalwitz; George A.	Costa Mesa	CA			
Barrett; Lorraine F.	Yorba Linda	CA			
Kraslavsky; Andrew J.	Rancho Santa Margarita	CA			

US-CL-CURRENT: 709/220; 713/100, 713/2

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC
Draw Desc	Image										

[Generate Collection](#)[Print](#)

Term	Documents
NETWORK.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	504158
NETWORKS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	125424
INTERFAC\$	0
INTERFAC.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	54
INTERFACABLE.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	76
INTERFACABLE*.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
INTERFACABLY.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	3
INTERFACACIAL.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
INTERFACAE.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	3
INTERFACAL.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
INTERFACALPHENOMENA.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
(L3 AND (NETWORK INTERFAC\$ CARD)) USPT,PGPB,JPAB,EPAB,DWPI,TDBD.	1

There are more results than shown above. Click here to view the entire set.

Display Format:

Change Format

[Previous Page](#)

[Next Page](#)

WEST

Your wildcard search against 2000 terms has yielded the results below

Search for additional matches among the next 2000 terms

Generate Collection

Print

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: US 5657448 A

L17: Entry 1 of 1

File: USPT

Aug 12, 1997

US-PAT-NO: 5657448

DOCUMENT-IDENTIFIER: US 5657448 A

TITLE: System for an interactive network board remotely configurable by selecting from a plurality of functionality defining software, such as a printer server stored in prom

DATE-ISSUED: August 12, 1997

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP	CODE	COUNTRY
Wadsworth; Robert D.	Costa Mesa	CA			
Russell; William C.	Laguna Hills	CA			
Kalwitz; George A.	Costa Mesa	CA			
Barrett; Lorraine F.	Yorba Linda	CA			
Kraslavsky; Andrew J.	Rancho Santa Margarita	CA			

US-CL-CURRENT: 709/220; 713/100, 713/2

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
Draw Desc	Image								

KWIC

Generate Collection

Print

Term	Documents
NETWORK\$	0
NETWORK.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	504158
NETWORKA.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	10
NETWORKABILITY.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	8
NETWORKABLE.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	99
NETWORKACCESS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
NETWORKACCESSIBLE.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
NETWORKADDR.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
NETWORKADDRESS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	9
NETWORKADDRESSSTRUCT.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
NETWORKANALOG.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
(L16 AND (NETWORK\$ NEAR5 INTERFAC\$)).USPT,PGPB,JPAB,EPAB,DWPI,TDBD.	1

There are more results than shown above. Click here to view the entire set.

Display Format:

CIT

Change Format

[Previous Page](#)

[Next Page](#)